


ABSTRACT



The present invention relates to novel benzazepine derivatives of formula (I); wherein: R¹ represents -C₃₋₇ cycloalkyl optionally substituted by C₁₋₃ alkyl; R² represents -aryl, -heterocyclyl, heteroaryl, -aryl-X-C₃₋₈ cycloalkyl, cycloalkyl, -aryl-X-aryl, -aryl-X-heteroaryl, -aryl-X-heterocyclyl, -heteroaryl-X-C₃₋₈ cycloalkyl, -heteroaryl-X-aryl, -heteroaryl-X-heteroaryl, -heteroaryl-X-heterocyclyl, -heterocyclyl-X-C₃₋₈ cycloalkyl, -heterocyclyl-X-aryl, -heterocyclyl-X-heteroaryl or -heterocyclyl-X-heterocyclyl; X represents a bond, O, CO, -CH₂O-, -COCH₂-, -COCH₂O-, -CONR^{2b}-, -COCH₂NR^{2b}CO-, -CSNH-, SO₂, -SO₂C₁₋₃ alkyl-, -SO₂C₂₋₃ alkenyl-, -COC₂₋₃ alkenyl-, -CO-C(R^{2a})(R^{2b})- or -CO-C(R^{2a})(R^{2b})CH₂-; having pharmacological activity, processes for their preparation, to compositions containing them and to their use in the treatment of neurological and psychiatric disorders.